

CLASSIFICATION: 08 34 56

PRODUCT DESCRIPTION: Argus sensor barriers combine the options of a modern access system in the supervised entrance area in three models. From short basic versions to exquisite objects with sophisticated sensors, they offer a wide range of functions. With a length of just 1,200 mm, Argus 40 is a high-quality sensor barrier that can be used even when space is limited. It impresses with its fine materials and functional basic equipment. It meets normal safety requirements without compromise.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified  Yes Ex/SC  Yes  No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Threshold Disclosed Per

- Material
- Product

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ARGUS 40 [ EN AW6060 T66 NoGS SC:ELECTRONICS Not Screened STEEL NoGS STAINLESS STEEL NoGS POLYCARBONATE LT-UNK ALUMINUM BM-1 | RES | PHY | END POLYDIMETHYLSILOXANE RUBBER NoGS RUBBER, SYNTHETIC EPDM NoGS BRASS NoGS POLYVINYL CHLORIDE LT-P1 | RES UNS A95754 ALUMINUM ALLOY NoGS ABS RESIN LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-05-15

PUBLISHED DATE: 2020-05-15

EXPIRY DATE: 2023-05-15



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### ARGUS 40

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

#### EN AW6060 T66

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-15

#: 62.42

GS: NoGS

RC: Both

NANO: No

ROLE: Profile, cover

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

#### SC:ELECTRONICS

ID: SC:Electronics

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-05-15

#: 10.32

GS: Not Screened

RC:

NANO:

ROLE: PWB, cable, motor, locking device, sensor system

UNK

No

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: No Entry

Compliance: No Entry

Takeback Program: No Entry

-

#### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-15**

#: **6.99**                                  GS: **NoGS**                                  RC: **Both**                  NANO: **No**                  ROLE: **Fixing materials**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: **16MnCr5, 32Cr4**

**STAINLESS STEEL**

ID: **12597-68-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-15**

#: **6.56**                                  GS: **NoGS**                                  RC: **UNK**                  NANO: **No**                  ROLE: **Control panels**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

**POLYCARBONATE**

ID: **25037-45-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-15**

#: **4.88**                                  GS: **LT-UNK**                                  RC: **UNK**                  NANO: **No**                  ROLE: **Sealing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

**No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

**ALUMINUM**

ID: **7429-90-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-15**

#: **4.34**                                  GS: **BM-1**                                  RC: **Both**                  NANO: **No**                  ROLE: **Fasteners**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**RESPIRATORY**

**AOEC - Asthmagens**

**Asthmagen (Rs) - sensitizer-induced**

**PHYSICAL HAZARD (REACTIVE)**

**EU - GHS (H-Statements)**

**H228 - Flammable solid**

**PHYSICAL HAZARD (REACTIVE)**

**EU - GHS (H-Statements)**

**H261 - In contact with water releases flammable gases**

**ENDOCRINE**

**TEDX - Potential Endocrine Disruptors**

**Potential Endocrine Disruptor**

SUBSTANCE NOTES: -

**POLYDIMETHYLSILOXANE RUBBER**

ID: 63394-02-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-15**%: **2.97**GS: **NoGS**RC: **UNK**NANO: **No**ROLE: **Sealing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

**RUBBER, SYNTHETIC EPDM**

ID: 308064-28-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-15**%: **0.53**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Sealing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

**BRASS**

ID: 12597-71-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-15**%: **0.45**GS: **NoGS**RC: **UNK**NANO: **No**ROLE: **Gear ring**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**

SUBSTANCE NOTES: -

**POLYVINYL CHLORIDE**

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-15**%: **0.32**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Sealing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**RESPIRATORY****AOEC - Asthmagens****Asthmagen (Rs) - sensitizer-induced**

SUBSTANCE NOTES: -

**UNS A95754 ALUMINUM ALLOY**ID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-05-15**

#: **0.11**

GS: **NoGS**

RC: **Both**

NANO: **No**

ROLE: **Connectors**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

**ABS RESIN**

ID: **9003-56-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-05-15**

#: **0.11**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Sealing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found**

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **This HPD is for a product that is NOT liquid/wet applied.**

**05-13**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability. Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader. For more information, please go to: [www.dormakaba.com](http://www.dormakaba.com). The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein. dormakaba **DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.** All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.



## MANUFACTURER INFORMATION

---

MANUFACTURER: **dormakaba**  
ADDRESS: **Hofwissenstraße 24**  
**Rümlang ZH 8153, Switzerland**  
WEBSITE: **www.dormakaba.com**

CONTACT NAME: **Lea Kullmann**  
TITLE: **Manager Sustainable Projects**  
PHONE: **+41 44 818 91 11**  
EMAIL: **sustainability@dormakaba.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*