

HPD UNIQUE IDENTIFIER: 26145

CLASSIFICATION: 08 34 56 Security Gates

PRODUCT DESCRIPTION: Argus sensor barriers combine the options of a modern access system in the supervised entrance area in three models. From short basic versions to exquisite objects with sophisticated sensors, they offer a wide range of functions. With a length of just 1,200 mm, Argus 40 is a high-quality sensor barrier that can be used even when space is limited. It impresses with its fine materials and functional basic equipment. It meets normal safety requirements without compromise.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and screening notes. Includes options for Basic Method, Material/Product, and various threshold levels.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ARGUS 40 [ EN AW6060 T66 NoGS SC:ELECTRONICS Not Screened
STEEL NoGS STAINLESS STEEL NoGS POLYCARBONATE LT-UNK
ALUMINUM BM-1 | END | RES | PHY POLYDIMETHYLSILOXANE
RUBBER NoGS RUBBER, SYNTHETIC EPDM NoGS BRASS NoGS
POLYVINYL CHLORIDE LT-P1 | RES UNS A95754 ALUMINUM ALLOY
NoGS ABS RESIN LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special conditions applied: Electronics
[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied.
This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2021-09-24. Includes options for Yes/No and dates for PUBLISHED and EXPIRY.

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### ARGUS 40

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

#### EN AW6060 T66

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 11:29:43

#: 62.4200 - 62.4200 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Profile, cover

#### SC:ELECTRONICS

ID: SC:Electronics

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: Not Screened

#: 10.3200 - 10.3200 GS: Not Screened RC: UNK NANO: No SUBSTANCE ROLE: Electronic component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: PWB, cable, motor, locking device, sensor system

Compliance: RoHS compliant

Takeback Program: - -

#### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 11:29:44

#: 6.9900 - 6.9900 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Fixing materials

**STAINLESS STEEL**

ID: 12597-68-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-24 11:29:44**%: **6.5600 - 6.5600** GS: **NoGS** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -Control panels

**POLYCARBONATE**

ID: 25037-45-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-24 11:29:44**%: **4.8800 - 4.8800** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sealing

**ALUMINUM**

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-24 11:29:45**%: **4.3400 - 4.3400** GS: **BM-1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Fasteners

**POLYDIMETHYLSILOXANE RUBBER**

ID: 63394-02-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-24 11:29:45**%: **2.9700 - 2.9700** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sealing

**RUBBER, SYNTHETIC EPDM**

ID: 308064-28-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-24 11:29:46**

#: 0.5300 - 0.5300 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sealing

**BRASS** ID: 12597-71-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-24 11:29:46

#: 0.4500 - 0.4500 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Gear ring

**POLYVINYL CHLORIDE** ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05-16 2:10:33

#: 0.3200 - 0.3200 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Sealing

**UNS A95754 ALUMINUM ALLOY** ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05-16 2:10:33

#: 0.1100 - 0.1100 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Connectors

**ABS RESIN** ID: 9003-56-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-05-16 2:10:34

#: 0.1100 - 0.1100 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sealing

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

<b>VOC EMISSIONS</b>	<b>N/A</b>
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-05- EXPIRY DATE: CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: This HPD is for a product that is NOT liquid/wet applied.	13
CERTIFICATE URL:	
CERTIFICATION AND COMPLIANCE NOTES:	

<b>LCA</b>	<b>Environmental Product Declaration (EPD)</b>
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020- EXPIRY DATE: 2025- CERTIFIER OR LAB: Institut Bauen und Umwelt e.V. (IBU)
APPLICABLE FACILITIES: Bühl	05-26 05-25
CERTIFICATE URL: <a href="https://www.dormakabagroup.com/en/sustainability/focus-area-products">https://www.dormakabagroup.com/en/sustainability/focus-area-products</a>	
CERTIFICATION AND COMPLIANCE NOTES: -	

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability.

Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader.

For more information, please go to: [www.dormakaba.com](http://www.dormakaba.com).

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** dormakaba  
**ADDRESS:** Hofwissenstraße 24  
 Rümlang ZH 8153, Switzerland  
**WEBSITE:** www.dormakaba.com

**CONTACT NAME:** Lea Kullmann  
**TITLE:** Manager Sustainable Projects  
**PHONE:** +41 44 818 91 11  
**EMAIL:** sustainability@dormakaba.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*