

BOTTOM RAIL: **2-1/2" 3-5/8" 4" 6" 10"** FINISH: GLASS THICKNESS: 1/2" 3/4" QTY. OF DOORS: NOTES: STRIKE OPTION: ☐ FLOOR MOUNTED ☐ THRESHOLD MOUNTED THRESHOLD WIDTH_ FDH = FINISHED DOOR HEIGHT FDW = FINISHED DOOR WIDTH **DETAIL A** GH = GLASS HEIGHT GW = GLASS WIDTH b = BOTTOM RAIL DEDUCTION CUSTOMER NAME: **CUSTOMER APPROVAL:**

P.O. #

DATE:

DOOR MARK: SALES ORDER # **GLASS THICKNESS:**

HOUSING: GP1000J EXIT PART #

TOP HARDWARE:

HANDING: SWING #4 SHOWN/LHR EXTERIOR VIEW

□ PT20 □ PT22

- 1. RAIL HEIGHT AND (*) DIMENSIONS PROVIDED BY CUSTOMER.
- ALL DIMENSIONS ARE IN INCHES.
- NOTE PIVOT REFERENCE DIMENSIONS:
 - 2-3/4" FROM SIDELITE & FRAME
 - 3-1/2" FROM WALL.



EXTERIOR






DORMA USA, Dorma Drive, Reamstown, PA 17567-0411 PH: 800-523-8483

GP1000P-J-BP

© dormakaba

Subject to Change Without Notice


GLASS DETAILS



SCALE: 5/8" = 1'-0"


NOTES:

- RAIL HEIGHT AND (*) DIMENSIONS PROVIDED BY CUSTOMER.
- ALL DIMENSIONS ARE IN INCHES.
- ALL HOLE SIZES AND LOCATIONS MUST BE HELD TO +/- 16"
- DO NOT CHAMFER EDGES OF HOLES.




DETAIL "B"

SCALE: 1:1



DETAIL "C"





SCALE: 1:1

Glass Height Equation: GH = FDH - (b)					
Rail Height	2-1/2"	3-5/8"	4"	6"	10"
Deduction	1.8125	2.6875	2.6875	5.0625	5.0625

FDH = FINISHED DOOR HEIGHT FDW = FINISHED DOOR WIDTH GH = GLASS HEIGHT GW = GLASS WIDTH b = BOTTOM RAIL DEDUCTION

CUSTOMER NAME:

CUSTOMER APPROVAL:

P.O. #

DOOR MARK:

SALES ORDER #

GLASS THICKNESS:

DATE:



© dormakaba

Subject to Change Without Notice