



LA GARD

AuditGard Series

Electronic Combination Lock

LA GARD AuditGard Series at a Glance

The AuditGard is a multi-user electronic combination lock that provides superior access control. The lock can be programmed with a Controller, a Manager and eight Users. The AuditGard has a 512 event audit with time and date stamp. Other programmable features include Dual Token (eKey or eKey II), Dual Combination, Time Delay, Time Delay Override (User 9), Silent Alarm, and Remote Signal Override to disable the lock. The AuditGard electronic lock series was designed to increase accountability in the commercial safe market.

The Windows™ based LG-Audit Setup Software has a user-friendly interface, which allows the lock to be configured directly from a PC. Software features include the ability to vary combination lengths, user activation, lock mode selection, external signal mode selection (used with the 2789 and 4002 alarm boxes) and the setting of time delay values. The LG-View Auditing Software is an essential tool for loss prevention, featuring a searchable audit trail with time and date stamp which provides knowledge of who accessed the lock and when.

- Retail
- Commercial
- Financial

Retail

Commercial

Financial



«The AuditGard is the perfect choice when accountability is of paramount importance. Potential applications include jewelry safes and cash vaults. The controller code allows Loss Prevention to oversee the on-site Manager, and the quick installation, easy setup and ability to allow multiple users make this lock ideal for the retail market.»

«Distributors and Manufacturers can quickly configure the lock for each individual customer's requirements. Offering programmable features such as Delayed Openings, Dual Mode and Silent Alarm Signal, the AuditGard is an ideal solution for commercial applications.»

«The AuditGard has many financial applications such as securing cash drawers and ATMs, and can provide multiple user Access Control with audit accountability. The Dual Token option, requiring both individual code and key to access the lock, increases security by preventing the sharing of combinations. The AuditGard delivers outstanding security and reliability for the financial sector.»

Safe and accountable

Secure and dependable

Solid and reliable


AuditGard Series Features/Specifications



Functionality



Swingbolt



Deadbolt




Redundant
Mechanical 4-Wheel

Variety of Lock Types

RECOMMENDED



3750-K Round Entry,
Audit & eKey II



3125 Round Entry,
Audit & eKey

OPTIONAL



3190 PRIVAT II Entry,
Audit & eKey II

Multiple Entry Options

Features and Benefits

Users

Controller, One Manager and Eight Users

Audit Trail

Utilizing LG View Software, the last 512 events are captured with date and time stamp.

Time Delay

Entering a valid combination will begin the delay period. The lock can not be opened until the delay period ends.

Delay Period: 1-99 minutes
Open Period: 1-19 minutes

Time Delay Override Mode

Enables User 9 to override the delay period.

Dual Code

Requires the use of two valid combinations to open the lock

Dual Token

Use of either the eKey or eKey II along with user code for identification purposes.

Silent Alarm

(Alarm box 2789 or 4002 required.) Duress signal is sent to alarm box if the last number of the combination is entered either using one number higher or lower. Lock will open without indication that duress signal has been sent to the alarm system.

Remote Override Signal/Signal to Disable Lock

(Alarm box 2789 or 4002 required) Input signal to the Alarm Box will disable opening of the lock by a valid combination or disable all lock functions.

Wrong Try Penalty

Four consecutive invalid codes initiates five minute delay period.

Low Battery Signal

Lock Types Available

4300 Swingbolt Lock
6040DB Deadbolt Lock
6441 Redundant Mechanical 4-Wheel Lock

Entries

Recommended

3750-K Round Entry, Audit & eKey II
3125 Round Entry, Audit & eKey

Optional

3190 PRIVAT II Entry, Audit & eKey II

Certifications

UL Listing, Type 1
VdS Listing, Class 2

Options & Accessories

43087 Audit Cable with Serial Interface (3750-K/3190 Keypads)
42160 Audit Cable with Serial Interface (3125 Keypad)
6066 Reset Box
3122 eKey (3125 Entry)
40169 eKey II (3750-K/3190 Entries)
2788/2789 Small Battery/Alarm Box
4001/4002 Large Battery/Alarm Box

LA GARD

Kaba AG
Muehleuehlstrasse 23
P.O. Box
CH-8620 Wetzikon
Tel. +41 44 931 61 11
Fax +41 44 931 64 84

www.kaba.ch

Kaba Mauer GmbH
Frankenstrasse 8-12
DE-42579 Heiligenhaus
Tel. +49 2056 596 0
Fax +49 2056 596 139

www.kaba-mauer.de

Kaba Mas LLC
749 W. Short St.
USA-Lexington, KY 40508
Tel. +01 859-253-4744
Fax +01 859-255-2655

www.kaba-mas.com