

HSW



ComfortDrive
Fully automatic partitioning.



THE HSW COMFORTDRIVE GLASS PARTITION SYSTEM.

Fully automatic for more openness and flexibility.

Quick and easy representative area and room configuration.

The HSW ComfortDrive is the fully automatic version of the HSW movable glass wall that offers even more convenience in flexible space utilisation. At the push of a button it enables interiors to be adapted quickly and efficiently to changing daily requirements, this makes it ideal for showrooms and presen-

tation areas, foyers, shops and self-service zones in banks. With this system, multi-functional space management is made easy.


Advanced technology – the ComfortDrive operating system.

With the HSW ComfortDrive, transparent partition elements can be moved to their individually pre-programmed positions under fully automatic control.

The user interface takes the form of a user-friendly touch screen. Reliable safety is provided by an integrated monitoring system that stops the partition motions the moment contact is made with an obstacle.

The benefits at a glance:

- Fully automatic operation at the push of a button
- Exceptional convenience with dynamic opening and closing speeds
- Easy operation with self-explanatory touch screen
- Multiple combinations of possibilities involving several element types and partition systems
- Reliable safety – partition stops on contact with an obstacle; TÜV/GS-tested
- Individually programmable for custom configuration
- Segmented and curved track layouts also possible



At the push of a button, the HSW ComfortDrive takes the partition elements straight to their pre-programmed positions.

OPERATION MADE EASY.

The HSW ComfortDrive touch screen.

Space management at the push of a button.

The HSW ComfortDrive can be controlled with just one finger operating a central touch screen. Aside from the standard functions "Open", "Close" and "Stop",


a number of special positioning modes such as "One element open" ("Personnel" function), "Gapped configuration" or various free positioning patterns can be individually programmed and selected.

Technical data	HSW ComfortDrive
Track width:	98 mm
Max. element height:	3200mm, 12mm Glass 2800mm, 10mm Glass
Max. element weight:	250 kg
Max. number of elements:	30
Travel speed:	Dynamic response up to 250 mm/s

*For glass size, refer to local standards.




Bank project: Sparkasse Rhein-Haardt, Architects: PARTNER AG



4

Personnel opening (optional)


In the "Personnel" opening mode, the partition only partially opens and closes. This ensures efficient personnel access based on a pre-programmable number of moving elements.



5

Gapped configuration (optional)

In this mode, the elements are positioned with a certain gap between one another.



5

Free positioning mode (optional)

The "Free positioning" function offers the possibility of placing the elements at any track location. The pattern shown here is just one of many possible configurations.



DORMA Australia
Head Office
46-52 Abbott Road
HALLAM
Victoria 3803
Phone 1800 675 411
info.au@dorma.com
www.dorma.com.au

DORMA Movable Walls
Unit 10, Block R
391 Park Road
REGENTS PARK
New South Wales 2143
Phone 1800 675 411
info.au@dorma.com
www.dorma.com.au

DORMA NZ Limited
Head Office
Building P
61-69 Patiki Road
AVONDALE
Auckland 1026
Phone 0800 436 762
info.nz@dorma.com