

**CLASSIFICATION:** 08 71 00 Door Hardware

**PRODUCT DESCRIPTION:** The 9000 Series heavy-duty exit device provides superior durability while the smooth reduced projection touchbar assembly minimizes catch hazards. For paired doors where a full-width opening is only occasionally required, removable mullions are used. Doors are fitted with rim exit devices and normally function as single doors. Steel and aluminum mullions are available in 8' or 10' lengths. Available motorized latch retraction (MLR).

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided  
for Residuals/Impurities?

- Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No

*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No

*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No

*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**9000 SERIES EXIT DEVICES** [ **STAINLESS STEEL** NoGS **BRASS** NoGS **STEEL** NoGS **ALUMINUM** NoGS **IRON** LT-P1 | END **BARIUM SULFATE (BARIUM SULFATE)** BM-2 | CAN **NYLON** NoGS **CARBON BLACK (CARBON BLACK)** LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Method. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration 9000 Series Exit Devices

LCA: Environmental Product Declaration

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-11-18

PUBLISHED DATE: 2020-04-29

EXPIRY DATE: 2022-11-18



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### 9000 SERIES EXIT DEVICES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

#### STAINLESS STEEL

ID: 12597-68-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-18

#: 60.51

GS: NoGS

RC: Both

NANO: No

ROLE: Exit body and trim

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: 304, 303, 416 and 17-4 PH

#### BRASS

ID: 12597-71-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-18

#: 18.35

GS: NoGS

RC: Both

NANO: No

ROLE: Exit body

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

#### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-18

#: 15.74

GS: NoGS

RC: Both

NANO: No

ROLE: Exit body and trim

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

## ALUMINUM

ID: 91728-14-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-18**

#: **4.34** GS: **NoGS** RC: **Both** NANO: **No** ROLE: **Exit body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The hazards associated with aluminum are dependent upon the form in which aluminum is provided. As aluminum is inert upon receipt by dormakaba and unlikely to leach from the product into the environment, the risk of exposure to aluminum components is negligible and the listed hazards can be deemed irrelevant to the end-user.

## IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-18**

#: **0.59** GS: **LT-P1** RC: **Both** NANO: **No** ROLE: **Exit body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: -

## BARIUM SULFATE (BARIUM SULFATE)

ID: 7727-43-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-18**

#: **0.17 - 0.33** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Powder Coat**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: -

## NYLON

ID: 63428-83-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-18**

#: **0.12** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Exit body**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

**CARBON BLACK (CARBON BLACK)**

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-11-18**

#: **0.01 - 0.02**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Powder Coat**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: -

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-11-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **This HPD is for a product that is NOT liquid/wet applied.**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### LCA

### Environmental Product Declaration 9000 Series Exit Devices

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **Steeleville, IL, USA**

CERTIFICATE URL:

<https://www.dormakaba.com/resource/blob/17238/e933f463ab9a457838ff805c07d71593/epd-ule-8000-9000series-ansi-exitdevices-en-data.pdf>

ISSUE

EXPIRY

CERTIFIER OR

DATE:

DATE:

LAB: **UL**

**2014-**

**2019-**

**Environment**

**10-28**

**10-27**

CERTIFICATION AND COMPLIANCE NOTES:

### LCA

### Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **Steeleville, IL, USA**

CERTIFICATE URL:

<https://www.dormakaba.com/resource/blob/17228/0fbab838679055a3171a75c4d07f2a54/epd-8000-9000-series-ansi-exit-devices-en-data.pdf>

ISSUE

EXPIRY

CERTIFIER

DATE:

DATE:

OR LAB:

**2014-**

**2020-**

**Institut**

**10-28**

**10-27**

**Bauen**

**und**

**Umwelt**

**e.V.**

**(IBU)**

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their

expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability. Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader. For more information, please go to: [www.dormakaba.com](http://www.dormakaba.com). The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein. dormakaba **DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.** All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.



## MANUFACTURER INFORMATION

MANUFACTURER: **dormakaba**  
ADDRESS: **Hofwisenstrasse 24**

**Rümlang ZH 8153, Switzerland**

WEBSITE: **www.dormakaba.com**

CONTACT NAME: **Lea Kullmann**  
TITLE: **Manager Sustainable Projects**  
PHONE: **+41 44 818 91 11**  
EMAIL: **sustainability@dormakaba.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*