

CLASSIFICATION: 08 42 33 - Revolving Door Entrances

PRODUCT DESCRIPTION: The revolving doors of the COMFORTLINE (KTC) series combine safety and comfort in a sophisticated entrance system. KTC series doors help to protect building interiors from drafts, noise and dirt. In minimizing airflow between the outside and inside, a revolving door will usually pay for itself in energy savings. KTC series revolving doors help pedestrians move in and out of the building and manage high traffic volumes without difficulty. And all KTC series doors offer ultra-modern safety and security systems for your peace of mind. The two-wing revolving door KTC 2 is the perfect solution for high user convenience, varied traffic flow and a need for increased environmental control. The integrated sliding doors allow for both winter and summer use giving optimum performance throughout the year. This intelligent revolving door with its automatic sliding door - integrated in the system's turnstile - optimizes user traffic and at the same time reliably protects from external influences. Special brush seals help to create a sensible climate barrier between the interior and the exterior of the building. This feature helps to reduce heating or air conditioning costs and the drive motor itself offers a low energy consumption.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AUTOMATIC REVOLVING DOOR KTC 2 [SOLID / PLATE GLASS LT-UNK
ALUMINUM NoGS STEEL NoGS CHIPBOARD UNK STAINLESS STEEL
NoGS STYRENE BUTADIENE RUBBER (SBR) LT-UNK POWDER COAT UNK
DORMAKABA ES 200 UNK COPPER LT-P1 | MUL HORSEHAIR UNK
POLYCARBONATE LT-UNK NYLON NoGS PRINTED WIRING BOARD (PWB)
UNK POLYPROPYLENE LT-UNK BRONZE NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Method. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-29

PUBLISHED DATE: 2020-04-29

EXPIRY DATE: 2023-04-29



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

AUTOMATIC REVOLVING DOOR KTC 2

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

SOLID / PLATE GLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-29

#: 34.02 GS: LT-UNK RC: None NANO: No ROLE: Wings and drum walls

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

ALUMINUM

ID: 91728-14-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-29

#: 29.36 GS: NoGS RC: Both NANO: No ROLE: Electronic components, canopy and profiles

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The hazards associated with aluminum are dependent upon the form in which aluminum is provided. As aluminum is inert upon receipt by dormakaba and unlikely to leach from the revolving door into the environment, the risk of exposure to aluminum components is negligible and the listed hazards can be deemed irrelevant to the end-user.

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-29

#: 18.39 GS: NoGS RC: Both NANO: No ROLE: Profiles, bearings, brackets, screws and fasteners

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: -		

CHIPBOARD

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
%: 6.06	GS: UNK	RC: None	NANO: No	ROLE: Chipboard
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES: Electronics are considered Special Conditions Materials by HPDC.				

STAINLESS STEEL

ID: **12597-68-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
%: 5.36	GS: NoGS	RC: Both	NANO: No	ROLE: Sheetmetal, brackets and profiles
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: -				

STYRENE BUTADIENE RUBBER (SBR)

ID: **9003-55-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
%: 3.32	GS: LT-UNK	RC: None	NANO: No	ROLE: Glazing seals and safety bumpers
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: -				

POWDER COAT

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
%: 1.20	GS: UNK	RC: None	NANO: No	ROLE: Powder coat

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: Powder coatings are considered Special Conditions Materials by HPDC.

DORMAKABA ES 200

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-29**

#: **1.06** GS: **UNK** RC: **UNK** NANO: **No** ROLE: **Sliding Door Operator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: -

COPPER

ID: **7440-50-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-29**

#: **0.32** GS: **LT-P1** RC: **UNK** NANO: **No** ROLE: **Electronic components and cables**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
-----------------	---	----------------------------

SUBSTANCE NOTES: -

HORSEHAIR

ID: **Not registered**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-29**

#: **0.31** GS: **UNK** RC: **Both** NANO: **No** ROLE: **Weatherstripping**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES: -

POLYCARBONATE

ID: **25037-45-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-29**

#: **0.24** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Component covers**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: -		

NYLON

ID: 63428-83-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
#: 0.16	GS: NoGS	RC: None	NANO: No	ROLE: Installation material
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: -				

PRINTED WIRING BOARD (PWB)

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
#: 0.14	GS: UNK	RC: None	NANO: No	ROLE: Printed Wiring Board (PWB)
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
		Hazard Screening not performed		
SUBSTANCE NOTES: Electronics are considered Special Conditions Materials by HPDC.				

POLYPROPYLENE

ID: 9003-07-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
#: 0.05	GS: LT-UNK	RC: None	NANO: No	ROLE: Tape
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: -				

BRONZE

ID: 12597-70-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-29		
#: 0.01	GS: NoGS	RC: Both	NANO: No	ROLE: Electronic components

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: -

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **This HPD is for a product that is NOT liquid/wet applied.**

04-29

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

ISSUE

EXPIRY

CERTIFIER

APPLICABLE FACILITIES: **Suzhou, China**

DATE:

DATE:

OR LAB:

CERTIFICATE URL:

2017-

2022-

Institut

<https://www.dormakaba.com/resource/blob/60542/8ff267269d03ced1b8da833688112b1f/epd-ktc-2-en-data.pdf>

04-24

04-23

Bauen

und

Umwelt

e.V.

(IBU)

CERTIFICATION AND COMPLIANCE NOTES: -

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

dormakaba has resulted from the merger of the two well-established brands Dorma and Kaba, both known for their expertise in the area of smart and secure access solutions. Together we stand for more than 150 years of security and reliability. Our master brand dormakaba stands for our offering of products, solutions and services for secure access to buildings and rooms from a single source. Our global brand power supports us to become the trusted industry leader. For more information, please go to: www.dormakaba.com. The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein. dormakaba **DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT**

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT. All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.



MANUFACTURER INFORMATION

MANUFACTURER: **dormakaba**

ADDRESS: **Hofwissenstrasse 24**

Rümlang ZH 8153, Switzerland

WEBSITE: **www.dormakaba.com**

CONTACT NAME: **Lea Kullmann**

TITLE: **Manager Sustainable Projects**

PHONE: **+41 44 818 91 11**

EMAIL: **sustainability@dormakaba.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.